

































23" IPS monitor with ultra flat front and height adjustable stand

ProLite XUB2390HS is a 23" LED monitor with latest IPS Panel technology considered to be the best all round panel type. It offers accurate and consistent colour reproduction with wide viewing angles and a fast response time. A truly ergonomic stand including pivot function makes the XUB2390HS an excellent choice for photographic design, web design, standard office use. It's the perfect choice for multi-monitor applications.





IPS technology offers higher contrast, darker blacks and much better viewing angles than standard TN technology. The screen will look good no matter what angle you look at it.



HAS + PIVOT

A Height Adjustable Stand allows you to set the perfect position of the screen ensuring ergonomic posture and optimal viewing comfort which benefits not only your health but also productivity. Screen rotation means you can change the position of the screen from landscape into portrait. This feature can be very handy while working with long spreadsheets or texts.

1. DISPLAY CHARACTERISTICS

DIAGONAL 23"; 58.4cm PANEL AH-IPS LED DISPLAY AREA H X W 286.4 x 509.2 mm; 11.3" x 20" RESPONSE TIME 5 ms CONTRAST 1000 : 1 typical CONTRAST 5 000 000 : 1 ACR BRIGHTNESS 250 cd/m² typical VIEWING ZONE horizontal/vertical: 178°/178°; right/left: 89°/89°; up/down: 89°/89° DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync ASPECT RATIO 16 : 9		
DISPLAY AREA H X W 286.4 x 509.2 mm; 11.3" x 20" RESPONSE TIME 5 ms CONTRAST 1000 : 1 typical CONTRAST 5 000 000 : 1 ACR BRIGHTNESS 250 cd/m² typical VIEWING ZONE horizontal/vertical: 178°/ 178°; right/left: 89°/ 89°; up/down: 89°/ 89° DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	DIAGONAL	23"; 58.4cm
RESPONSE TIME 5 ms CONTRAST 1000 : 1 typical CONTRAST 5 000 000 : 1 ACR BRIGHTNESS 250 cd/m² typical VIEWING ZONE horizontal/vertical: 178°/178°; right/left: 89°/89°; up/down: 89°/89° DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	PANEL	AH-IPS LED
CONTRAST 1000 : 1 typical CONTRAST 5 000 000 : 1 ACR BRIGHTNESS 250 cd/m² typical VIEWING ZONE horizontal/vertical: 178°/ 178°; right/left: 89°/ 89°; up/down: 89°/ 89° DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	DISPLAY AREA H X W	286.4 x 509.2 mm; 11.3" x 20"
CONTRAST 5 000 000 : 1 ACR BRIGHTNESS 250 cd/m² typical VIEWING ZONE horizontal/vertical: 178°/178°; right/left: 89°/89°; up/down: 89°/89° DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	RESPONSE TIME	5 ms
BRIGHTNESS 250 cd/m² typical VIEWING ZONE horizontal/vertical: 178°/ 178°; right/left: 89°/ 89°; up/down: 89°/ 89° DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	CONTRAST	1000 : 1 typical
VIEWING ZONE horizontal/vertical: 178°/ 178°; right/left: 89°/ 89°; up/down: 89°/ 89° DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	CONTRAST	5 000 000 : 1 ACR
DISPLAY COLOUR 16.7 million PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	BRIGHTNESS	250 cd/m² typical
PIXEL PITCH H X V 0.265 x 0.265 mm NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	VIEWING ZONE	horizontal/vertical: 178°/178°; right/left: 89°/89°; up/down: 89°/89°
NATIVE RESOLUTION Full HD 1080p, 1920 x 1080 (2.1 megapixel) HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	DISPLAY COLOUR	16.7 million
HORIZONTAL SYNC 24 - 80 KHz VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	PIXEL PITCH H X V	0.265 x 0.265 mm
VERTICAL SYNC 56 - 75 Hz SYNCHRONIZATION Separate sync	NATIVE RESOLUTION	Full HD 1080p, 1920 x 1080 (2.1 megapixel)
SYNCHRONIZATION Separate sync	HORIZONTAL SYNC	24 - 80 KHz
	VERTICAL SYNC	56 - 75 Hz
ASPECT RATIO 16:9	SYNCHRONIZATION	Separate sync
	ASPECT RATIO	16:9

2. INTERFACES & CONNECTORS

ANALOG INPUT CONNECTOR	VGA
DIGITAL INPUT CONNECTOR	DVI-D, HDMI
HDCP	yes

3. SPECIAL FEATURES

APPLE - MAC	All iiyama monitors are compatible with Apple-Macintosh computers.
PLUG & PLAY	VESA DDC2B™
CONTROLS	Via OSD in 9 languages (EN, DE, FR, ES, IT, PT, Chinese, RU, JP) and 5 front controls (Power, Menu, +/ Volume, -/ ECO, Auto)
SPEAKERS	2 x 2 W (Stereo)
ANTI-THEFT-DEVICE	Kensington-lock™ prepared
CERTIFICATES	TCO 6, CE, TÜV-Bauart, VCCI-B, CU
HEIGHT ADJUSTMENT	130 mm
ROTATION (PIVOT FUNCTION)	90°
SWIVEL STAND	90°; 45° left; 45° right
TILT ANGLE	20° up; 4° down
VESA MOUNTING	100 x 100 mm
COLOUR	Black

4. ACCESSORIES

DRIVER	Windows 95 / 98 / 2000 / ME / XP / Vista / 7 / 8
INCLUDED ACCESSORIES	power cable, DVI-D cable, audio cable, stand, quick start guide, safety guide

5. POWER MANAGEMENT

POWER SUPPLY	AC100~240V 50/60Hz
POWER SUPPLY UNIT	internal
POWER USAGE	24 W typical; max. 0.5 W in Power management mode
POWER MANAGEMENT	VESA DPMS, ENERGY STAR®

6. EU ENERGY EFFICIENCY LABEL

ENERGY EFFICIENCY CLASS	A
ON MODE POWER CONSUMPTION	21.4W
ANNUAL ENERGY CONSUMPTION	31 kW/annum*
VISIBLE SCREEN DIAGONAL	58 cm; 23"; (23" segment)

This is information under Regulation (EU) No 1062/2010.

*Based on the power consumption of the television operating 4 hours per day for 365 days. The actual energy consumption will depend on how the television is

7. EPEAT SILVER

Please visit www.epeat.net for the registration status in your country.	EPEAT	EPEAT is a comprehensive environmental rating that helps identify greener computers and other electronic equipment. The Silver certification means the monitor meets all required criteria plus at least
		50% of the optional requirements. EPEAT Silver is valid in countries where iiyama registers the product. Please visit www.epeat.net for the registration status in your country.

8. DIMENSIONS & WEIGHT

DIMENSIONS W X H X D	532.5 x 386 (516) x 230 mm
WEIGHT	5.4 kg

All trademarks acknowledged. Errors and changes reserved. Product specifications are subject to change without notice. All LCD's comply with ISO-13406-2 wich specifies the number and type of pixel defects.

© IIYAMA CORPORATION (). ALL RIGHTS RESERVED.